

NORTH

POOL 31.47M BY 25YD	9,305 SF
POOL 25YD BY 56FT	4,425 SF
OUTDOOR CONCRETE DECK	11,089 SF
FENCE	610 LF
BATHHOUSE & MECH ROOM	3,070 SF
LANDSCAPED AREA	17,050 SF


<b>PROJECT DATA</b>	
WATER SURFACE AREA: (38M BY 25D'S)	9,305 SF
BATHER LOAD: (9,305/5)	610
TO BE POSTED AS SIGN	
BATHER LOAD MAXIMUM: (9,305/20)	465
SANITARY FACILITIES	
MALE OR FEMALE BATHERS: (620/2)	310
MALE TOILETS REQUIRED: (320/75)	2.8 x 3
MALE URINALS REQUIRED: (310/75)	2.8 x 3
FEMALE TOILETS REQUIRED: (310/60)	5.16 x 6
LAVATORIES REQUIRED: (610/80)	1.75
PROVIDE 8 LAVATORIES (4 FOR EA. SEX)	
SHOWERS REQUIRED: (610/52)	12.4 x 13
PROVIDE 13 SHOWERS	
DRINKING FOUNTAINS REQUIRED: (610/150) x 310	185 PROVIDE: 3 DF'S
<b>BUILDING DATA</b>	
CODE: 2019 CALIFORNIA BUILDING CODE	
OCCUPANCY: B-2	
EXTERIOR WALL FIRE RESISTANCE: 1-HR	
(LESS THAN 10'-0")	
EXTERIOR WALL OPENINGS: PROTECTED	
(LESS THAN 10'-0")	
(LESS THAN 5'-0")	
CONSTRUCTION TYPE: NOT PERMITTED VNR	
ALLOWABLE HEIGHT: 8,020 SF	
ALLOWABLE HEIGHT: ONE-STORY	
PROPOSED AREA: 3,070 SF	
<b>EXISTING:</b>	
CODE: 2019 CALIFORNIA BUILDING CODE	
TABLE 1004.12 SWIMMING POOL:	
(50 OCCUPANTS PSF) 9,305/50 =	186 OCCUPANTS
TOTAL SWIMMING POOL DECK:	
PSF: 1,089/51 =	199 OCCUPANTS
(15 OCCUPANTS PER SQUARE FOOT)	
SUMMING OCCUPANTS: 325	
EGRESS REQ'S: (325 x 2) =	185' OR 15'-5"
EGRESS PROVIDED:	16'-0"

## project:

**PASO ROBLES HIGH SCHOOL  
801 NIBLICK RD,  
PASO ROBLES, CA 93446**

**client:**

**PASO ROBLES JOINT U.S.D.  
800 NIBLICK ROAD,  
PASO ROBLES, CA 93446**



**Uphill • Downhill**

architects, landscape architects & planners  
1341 Distribution Way, Studio #11  
Vista, CA 92081 phone: 760 734-1600