

Addendum No. 1
Sylvan Union School District
Request For Bids for:

PAINTING PROJECTS, BID NO: 2017-18 #10

The Savage Middle School scope of work is deleted from this bid. Any reference to Savage Middle School not specifically identified in the addendum shall be construed as deleted.

DOCUMENT DESCRIPTION:

Page 1, paragraph 2, should be deleted and replaced with the following:

The scope of work includes all labor, materials, tools, equipment, and facilities necessary to perform all of the work noted in the scope. All work shall be done to the satisfaction of the Supervisor of Maintenance, the Assistant Superintendent of Business Services or other authorized representative. The scope of work for this project includes painting the entire exterior of Ustach Middle School. Contractor is responsible for verifying measurements at Ustach Middle School for the project.

- 1. Ustach Middle School – Campus Exterior
2701 Kodiak Drive
Modesto, CA 95355**

Page 10, should be deleted entirely and replaced with the attached Bid Form and Proposal: (See next page)

Page 43, paragraph 1, should be deleted and replaced with the following:

The scope of work for this project includes painting the entire exterior of Ustach Middle School. Contractor is responsible for verifying measurements at Ustach Middle School for the project.

Contractor is responsible for verifying actual sq. ft. on project.

BID FORM AND PROPOSAL

To: Governing Board of Sylvan Union School District ("District" or "Owner")

From: _____

(Proper Name of Bidder)

The undersigned declares that the Contract Documents, including, without limitation, the Notice to Bidders and the Instructions to Bidders, have been read, and agrees and proposes to furnish all necessary labor, materials, and equipment to perform and furnish all work in accordance with the terms and conditions of the Contract Documents, including, without limitation, the Drawings and Specifications of **Bid No: 2017-18 #10**

PROJECT: **Painting Projects**

("Project" or "Contract") and will accept in full payment for that Work the following total lump sum amount, all taxes included:

Ustach Middle School

_____ dollars	\$ _____
<i>BASE BID IN WRITTEN FORM</i>	<i>IN NUMBERS</i>

In case of discrepancy between the written price and the numerical price, the written price shall prevail.

Page 47, Appendix A, please add the following painting and coating finishes, Kelly Moore paint or equal:

SECTION 09 9000 PAINTING AND COATING

3.6 PAINTING FINISHES

A. Exterior Systems:

1. Cement Plaster – Low Sheen:

- a. Primer: 247 AcryShield 100% Acrylic Exterior Masonry Primer
- b. Second Coat: 1119 Elastakote 100% Acrylic Low Sheen Elastomeric Coating
- c. Third Coat: 1119 Elastakote 100% Acrylic Low Sheen Elastomeric Coating

2. Concrete Tilt-Up – Low Sheen:

- a. Primer: 247 AcryShield 100% Acrylic Exterior Masonry Primer
- b. Second Coat: 1119 Elastakote 100% Acrylic Low Sheen Elastomeric Coating
- c. Third Coat: 1119 Elastakote 100% Acrylic Low Sheen Elastomeric Coating

3. Ferrous Metal – Gloss:

- a. Primer: 5725 DTM Acrylic Primer/Finish
- b. Second Coat: 5885 DTM High Performance Acrylic Semi-Gloss Enamel
- c. Third Coat: 5885 DTM High Performance Acrylic Semi-Gloss Enamel

4. Galvanized Metal – Gloss:

- a. Pretreatment: Jasco Prep and Prime™
- b. Primer: 5725 DTM Acrylic Primer/Finish
- c. Second Coat: 5885 DTM High Performance Acrylic Semi-Gloss Enamel
- d. Third Coat: 5885 DTM High Performance Acrylic Semi-Gloss Enamel

B. Interior Systems:

1. Gypsum Drywall – Flat Wall Paint:

- a. Primer: 971 AcryPlex Latex Interior PVA Primer/Sealer
- b. Second Coat: 550 Acry-Plex Interior Acrylic Flat Paint
- c. Third Coat: 550 Acry-Plex Interior Acrylic Flat Paint

2. Metal Ferrous – Flat Finish:

- a. Primer: 5725 DTM Acrylic Primer/Finish
- b. Second Coat: 550 Acry-Plex Interior Acrylic Flat Paint
- c. Third Coat: 550 Acry-Plex Interior Acrylic Flat Paint

3. Galvanized Metal – Aluminum – Flat Finish:
 - a. Primer: 5725 DTM Acrylic Primer/Finish
 - b. Second Coat: 550 Acry-Plex Interior Acrylic Flat Paint
 - c. Third Coat: 550 Acry-Plex Interior Acrylic Flat Paint

- C. Interior Finish – Enamel: The following enamel paints are to be used for the final interior enamel paint application as directed in accordance with the base coats specified in the following subparagraphs.
 - a. 100% Gloss Acrylic Enamel: 1680 DuraPoxy 100% Acrylic Interior Gloss Enamel
 - b. 100% Semi-Gloss Acrylic: 1685 DuraPoxy 100% Acrylic Interior Semi-Gloss Enamel
 - c. 100% Eggshell Acrylic: 1610 AcryPlex 100% Acrylic Interior Eggshell Enamel

1. Gypsum Drywall:
 - a. Primer: 971 AcryPlex Latex Interior PVA Primer/Sealer
 - b. Second Coat: Gloss – as directed
 - c. Third Coat: Gloss – as directed

2. Wood:
 - a. Primer: 973 AcryPlex Latex Interior Enamel Undercoat
 - b. Second Coat: Gloss – as directed
 - c. Third Coat: Gloss – as directed

3. Ferrous Metal – Gloss Finish:
 - a. Primer: 5725 DTM Acrylic Primer/Finish
 - b. Second Coat: Gloss – as directed
 - c. Third Coat: Gloss – as directed

4. Galvanized Metal – Aluminum:
 - a. Primer: 5725 DTM Acrylic Primer/Finish
 - b. Second Coat: Gloss – as directed
 - c. Third Coat: Gloss – as directed

5. Galvanized Metal – Doors:
 - a. Primer: 5725 DTM Acrylic Primer/Finish
 - b. Second Coat: Gloss – as directed
 - c. Third Coat: Gloss – as directed

D. Finish – Stain and Lacquer:

1. Wood:

- a. Primer: **Old Masters® Wiping Stain**
- b. Second Coat: **275 VOC Precat Lacquer**
- c. Third Coat: **275 VOC Precat Lacquer**

E. Epoxy Coating - Interior:

1. Gypsum Drywall:

- a. Primer: **Tru-Glaze WB® 4030 Water Borne Epoxy – Matte**
- b. Second Coat: **Tru-Glaze WB® 4028 Water Borne Epoxy – Gloss**
- c. Third Coat: **Tru-Glaze WB® 4028 Water Borne Epoxy – Gloss**

2. Metal – Ferrous and Galvanized:

- a. Primer – Ferrous: **Tru-Glaze WB® 4030 Water Borne Epoxy – Matte**
- Primer – Galvanized: **Tru-Glaze WB® 4030 Water Borne Epoxy – Matte**
- b. Second Coat: **Tru-Glaze WB® 4028 Water Borne Epoxy – Gloss**
- c. Third Coat: **Tru-Glaze WB® 4028 Water Borne Epoxy – Gloss**